


INFORMATION DISCLOSURE
CITATION

(Use several sheets if necessary)



ATTY. DOCKET NO.

2528-10

APPLICANT

DAVYDOV et al.

FILING DATE

October 28, 2003

APPLN. NO.

10/693,999

GROUP

Not Known

FOREIGN PATENT DOCUMENTS

| | DOCUMENT | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | |
|--|----------|------|---------|-------|----------|-------------|----|
| | | | | | | YES | NO |
| | AR | | | | | | |
| | BR | | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

| | | |
|----|----|--|
| 1A | CR | Amano et al. "Thyroid hormone regulation of a transcriptional coactivator in <i>Xenopus laevis</i> : Implication for a role in postembryonic tissue remodeling" <i>Developmental Dynamics</i> 223:526-535 (2002) |
| 1B | DR | Artavanis-Tsakonas et al. "Notch signaling" <i>Science</i> 268:225-232 (1995) |
| 1C | ER | Brenner "Hint, Fhit, and GalT: Function, structure, evolution, and mechanism of three branches of the histidine triad superfamily of nucleotide hydrolases and transferases" <i>Biochemistry</i> 41:9003-9014 (2002) |
| 1D | FR | Brzovic et al. "The cancer-predisposing mutation C61G disrupts homodimer formation in the NH ₂ -terminal BRCA1 RING finger domain" <i>J. Biol. Chem.</i> 273:7795-7799 (1998) |
| 1E | GR | Bustin et al. "Expression of HMG chromosomal proteins during cell cycle and differentiation" <i>Crit. Rev. Eukar. Gene Exp.</i> 2:137-143 (1992) |
| 1F | HR | Bustin et al. "High-mobility-group chromosomal proteins: Architectural components that facilitate chromatin function" <i>Prog. Nucl. Acid Res. Mol. Biol.</i> 54:35-100 (1996) |
| 1G | IR | Clay-Farrace et al. "Human replication protein Cdc6 prevents mitosis through a checkpoint mechanism that implicates Chk1" <i>EMBO J.</i> 22:704-712 (2003) |
| 1H | JR | Coleman "The 3 Rs of Cdc6: Recruitment, regulation, and replication" <i>Curr. Biol.</i> 12:R759 (2002) |
| 1I | KR | Compton et al. "The analysis of cThy28 expression in avian lymphocytes" <i>Apoptosis</i> 6:299-314 (2001) |
| 1J | LR | Date et al. "Early-onset ataxia with ocular motor apraxia and hypoalbuminemia is caused by mutations in a new HIT superfamily gene" <i>Nature Genetics</i> 29:184-188 (2001) |
| 1K | MR | Davydov et al. "RGS4 is arginylated and degraded by the N-end rule pathway <i>in vitro</i> " <i>J. Biol. Chem.</i> 275:22931-22941 (2000) |
| 1L | NR | De Groot et al. "Sindbis virus RNA polymerase is degraded by the N-end rule pathway" <i>Proc. Natl. Acad. Sci. USA</i> 88:8967-8971 (1991) |
| 1M | OR | Delmolino et al. "Multiple mechanisms regulate subcellular localization of human CDC6" <i>J. Biol. Chem.</i> 276:26947-26954 (2001) |
| 1N | PR | Ditzel et al. "Degradation of DIAP1 by the N-end rule pathway is essential for regulating apoptosis" <i>Nature Cell Biol.</i> 5:467-473 (2003) |
| 1O | QR | Durocher et al. "The molecular basis of FHA domain: Phosphopeptide binding specificity and implications for phospho-dependent signaling mechanisms" <i>Mol. Cell</i> 6:1169-1182 (2000) |
| 1P | RR | Ebneth et al. "Overexpression of Tau protein inhibits kinesin-dependent trafficking of vesicles, mitochondria and endoplasmic reticulum: Implications for Alzheimer's disease" <i>J. Cell Biol.</i> 143:777-794 (1998) |
| 1Q | SR | Einck et al. "Inhibition of transcription in somatic cells by microinjection of antibodies to chromosomal proteins" <i>Proc. Natl. Acad. Sci. USA</i> 80:6735-6739 (1983) |
| 1R | TR | Eng et al. "Glial fibrillary acidic protein: GFAP-thirty-one years (1969-2000)" <i>Neurochem. Res.</i> 25:1439-1451 (2000) |
| 1S | UR | Gerdes et al. "Production of a mouse monoclonal antibody reactive with a human nuclear antigen associated with cell proliferation" <i>Int. J. Cancer</i> 31:13-20 (1983) |
| 1T | VR | Göedert et al. "Multiple isoforms of human microtubule-associated protein Tau: Sequences and localization in neurofibrillary tangles of Alzheimer's disease" <i>Neuron</i> 3:519-526 (1989) |
| 1U | WR | Golbe et al. "The Tau A0 allele in Parkinson's disease" <i>Movement Disorders</i> 16:442-447 (2001) |
| 1V | XR | Guglielmi et al. "The yeast homolog of human PinX1 is involved in rRNA and small nucleolar RNA maturation, not in telomere elongation inhibition" <i>J. Biol. Chem.</i> 277:35712-35719 (2002) |
| 1W | YR | Han et al. "Activation of the transcription factor MEF2C by the MAP kinase p38 in inflammation" <i>Nature</i> 386:296-299 (1997) |


*Examiner

11/4/04

INFORMATION DISCLOSURE

CITATION

(Use several sheets if necessary)



ATTY. DOCKET NO.

2528-10

APPLICANT

DAVYDOV et al.

FILING DATE

October 28, 2003

APPLN. NO.

10/693,999

GROUP

Not Known

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

| | | |
|----|-----|---|
| AD | AR | Hateboer et al. "Cell cycle-regulated expression of mammalian CDC6 is dependent on E2F" Mol. Cell. Biol. 18:6679-6697 (1998) |
| AD | BR | Hershko et al. "The ubiquitin system" Annu. Rev. Biochem. 67:425-479 (1998) |
| AD | CR | Hsieh et al. "CIR, a corepressor linking the DNA binding factor CBF1 to the histone deacetylase complex" Proc. Natl. Acad. Sci. USA 96:23-28 (1999) |
| AD | DR | Hwang et al. "A conserved RING finger protein required for histone H2B monoubiquitination and cell size control" Mol. Cell 11:261-266 (2003) |
| AD | ER | Ito et al. "Immunohistochemical localization of the nucleosome-binding protein HMGN3 in mouse brain" J. Histochem. & Cytochem. 50:1273-1275 (2002) |
| AD | FR | Jiang "Degrading Ci: Who is cul-pable?" Genes & Development 16:2315-2321 (2002) |
| AD | GR | Joazeiro et al. "The tyrosine kinase negative regulator c-Cbl as a RING-type, E2-dependent ubiquitin-protein ligase" Science 286:309-312 (1999) |
| AD | HR | Johnson et al. "Tau, where are we now?" J. Alzheimer's Dis. 4:375-398 (2002) |
| AD | IR | Kishi et al. "A critical role in Pin2/TRF1 in ATM-dependent regulation" J. Biol. Chem. 277:7420-7429 (2002) |
| AD | JR | Kishino et al. "UBE3A/E6-AP mutations cause Angelman syndrome" Nature Genetics 15:70-73 (1997) |
| AD | KR | Kosik et al. "Developmentally regulated expression of specific Tau sequences" Neuron 2:1389-1397 (1989) |
| AD | LR | Kuroda et al. "The Slp homology domain of synaptotagmin-like proteins 1-4 and Slac2 functions as a novel Rab27A binding domain" J. Biol. Chem. 277:9212-9218 (2002) |
| AD | MR | Kurz et al. "Cytoskeletal regulation by the Nedd8 ubiquitin-like protein modification pathway" Science 295:1294-1298 (2002) |
| AD | NR | Kwon et al. "Construction and analysis of mouse strains lacking the ubiquitin ligase UBR1 (E3α) of the N-end rule pathway" Mol. Cell. Biol. 21:8007-8021 (2001) |
| AD | OR | Kwon et al. "Bivalent inhibitor of the N-end rule pathway" J. Biol. Chem. 274:18135-18139 (1999) |
| AD | PR | Landsman et al. "Chromosomal protein HMG-17" J. Biol. Chem. 261:7479-7484 (1986) |
| AD | QR | Lecker et al. "Ubiquitin conjugation by the N-end rule pathway and mRNAs for its components increase in muscles of diabetic rats" J. Clin. Invest. 104:1411-1420 (1999) |
| AD | RR | Lee et al. "Two classes of proteins dependent on either the presence or absence of thyroid hormone for interaction with the thyroid hormone receptor" Mol. Endocrinol. 9:243-254 (1995) |
| AD | SR | Lu et al. "Competition for microtubule-binding with dual expression of Tau missense and splice isoforms" Mol. Biol. Cell 12:171-184 (2001) |
| AD | TR | Maeda et al. "In vitro ubiquitination of cyclin D1 and ROC1-CUL1 and ROC1-CUL3" FEBS Letters 494:181-185 (2001) |
| AD | UR | Mandelkow et al. "On the structure of microtubules, Tau, and paired helical filaments" Neurobiol. Aging 16:347-354 (1995) |
| AD | VR | Miyaji et al. "Molecular cloning and characterization of the mouse thymocyte protein gene" Gene 297:189-196 (2002) |
| AD | WR | Moreira et al. "The gene mutated in ataxia-ocular apraxia 1 encodes the new HIT/Zn-finger protein aprataxin" Nature Genetics 29:189-193 (2001) |
| AD | XR | Mufson et al. "Gene expression profiles of cholinergic nucleus basalis neurons in Alzheimer's disease" Neurochem. Res. 27:1035-1048 (2002) |
| AD | YR | O'Connor et al. "Synaptic vesicle fusion and synaptotagmin: 2B or not 2B?" Nature Neurosci. 5:823-824 (2002) |
| AD | ZR | Ohta et al. "Cdc6 expression as a marker of proliferative activity in brain tumors" Oncology Reports 8:1063-1066 (2001) |
| AD | AAR | Ohtani et al. "Regulation of cells growth-dependent expression of mammalian CDC6 gene by the cell cycle transcription factor E2F" Oncogene 17:1777-1785 (1998) |
| AD | BBR | Ou et al. "Distinct protein degradation mechanisms mediated by Cul1 and Cul3 controlling Ci stability in Drosophila eye development" Genes & Development 16:2403-2414 (2002) |

*Examiner

INFORMATION DISCLOSURE

CITATION

ATTY. DOCKET NO.

APPLN. NO.

2528-10

10/693,999

APPLICANT

DAVYDOV et al.


FILING DATE

GROUP

October 28, 2003

Not Known

(Use several sheets if necessary)



OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)


| | | |
|----|----|---|
| AD | AR | Pallanck et al. "A tale of two C ₂ domains" Trends Neurosci. 26:2-4 (2003) |
| 10 | BR | Pash et al. "Aberrant expression of high mobility group chromosomal protein 14 affects cellular differentiation" J. Biol. Chem. 268:13632-13638 (1993) |
| 10 | CR | Pash et al. "Chromosomal protein HMG-14 is overexpressed in down syndrome" Exp. Cell Res. 193:232-235 (1991) |
| 10 | DR | Porkka et al. "A fragment of the HMGN2 protein homes to the nuclei of tumor cells and tumor endothelial cells <i>in vivo</i> " Proc. Natl. Acad. Sci. USA 99:7444-7449 (2002) |
| 10 | ER | Rao et al. "Degradation of a cohesin subunit by the N-end rule pathway is essential for chromosome stability" Nature 410:955-959 (2001) |
| 10 | FR | Reiss et al. "Affinity purification of ubiquitin-protein ligase on immobilized protein substrates" J. Biol. Chem. 265:3685-3690 (1990) |
| 10 | GR | Rickman et al. "Mechanism of calcium-independent synaptotagmin binding to target" J. Biol. Chem. 278:5501-5504 (2002) |
| 10 | HR | Robles et al. "Down-regulation of Cdc6, a cell cycle regulatory gene, in prostate cancer" J. Biol. Chem. 277:25431-25438 (2002) |
| 10 | IR | Shimazaki et al. "Early-onset ataxia with ocular motor apraxia and hypoalbuminemia" Neurol. 59:590-595 (2002) |
| 10 | JR | Shimura et al. "Familial Parkinson disease gene product, parkin, is a ubiquitin-protein ligase" Nature Genetics 25:302-305 (2000) |
| 10 | KR | Singer et al. "Cullin-3 targets cyclin E for ubiquitination and controls S phase in mammalian cells" Genes & Development 13:2375-2387 (1999) |
| 10 | LR | Solomon et al. "Rates of ubiquitin conjugation increase when muscles atrophy, largely through activation of the N-end rule pathway" Proc. Natl. Acad. Sci. USA 95:12602-12607 (1998) |
| 10 | MR | Strom et al. "A family of Rab27-binding proteins" J. Biol. Chem. 277:25423-25430 (2002) |
| 10 | NR | Thapar et al. "Proliferative activity and invasiveness among pituitary adenomas and carcinomas: An analysis using the MIB-1 antibody" Neuro. Surgery 38:99-107 (1996) |
| 10 | OR | Turner et al. "Peptides accelerate their uptake by activating a ubiquitin-dependent proteolytic pathway" Nature 405:579-583 (2000) |
| 10 | PR | Varshavsky "The ubiquitin system" Trends Biochem. Sci. 22:383-387 (1997) |
| 10 | QR | Varshavsky "The N-end rule: Functions, mysteries, uses" Proc. Natl. Acad. Sci. USA 93:12142-12149 (1996) |
| 10 | RR | Varshavsky "The N-end rule and regulation of apoptosis" Nature Cell Biol. 5:373-376 (2003) |
| 10 | SR | Weissman "Themes and variations on ubiquitylation" Nature Rev. Mol. Cell Biol. 2:169-178 (2001) |
| 10 | TR | West et al. "HMGN3a and HMGN3b, two protein isoforms with a tissue-specific expression pattern, expand the cellular repertoire of nucleosome-binding proteins" J. Biol. Chem. 276:25959-25969 |
| 10 | UR | Williams et al. "Improved cervical smear assessment using antibodies against proteins that regulate DNA replication" Proc. Natl. Acad. Sci. USA 95:14932-14937 (1998) |
| 10 | VR | Winston et al. "Culprits in the degradation of cyclin E apprehended" Genes & Development 13:2751-2757 (1999) |
| 10 | WR | Woods et al. "Regulation of p53 function" Exp. Cell Res. 264:56-66 (2001) |
| 10 | XR | Yam et al. "Cyclin A in cell cycle control and cancer" Cell. Mol. Life Sci. 59:1317-1326 (2002) |
| 10 | YR | Yan et al. "PR48, a novel regulatory subunit of protein phosphatase 2A, interacts with Cdc6 and modulates DNA replication in human cells" Mol. Cell. Biol. 20:1021-1029 (2000) |
| 10 | ZR | Yang et al. "Ubiquitin protein ligase activity of IAPs and their degradation in proteasomes in response to apoptotic stimuli" Science 288:874-877 (2000) |

*Examiner

INFORMATION DISCLOSURE

CITATION PAGE

(Use several sheets if necessary)



ATTY. DOCKET NO.

2528-10

APPLICANT

DAVYDOV et al.

FILING DATE

October 28, 2003

APPLN. NO.

10/693,999





GROUP

Not Known

U.S. PATENT DOCUMENTS

| *EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|----------------------|-----------------|---------|--------------------|-------|----------|-------------------------------|
| AS | AR 6,165,731 | 12/2000 | Deshaies et al. | | | |
| AS | BR 6,207,369 | 03/2001 | Wohlstadter et al. | | | |
| AS | CR 6,413,725 | 07/2002 | Deshaies et al. | | | |
| AS | DR 6,426,205 | 07/2002 | Tyers et al. | | | |
| AS | ER 20030113713 | 06/2003 | Glezer et al. | | | |
| AS | FR 20030207290 | 11/2003 | Kenten et al. | | | |

FOREIGN PATENT DOCUMENTS

| FOREIGN PATENT DOCUMENTS | | | | | | | TRANSLATION | |
|---|----|----------------|---------|---------|---|----------|-------------|----|
| DOCUMENT | | | DATE | COUNTRY | CLASS | SUBCLASS | YES | NO |
|  | GR | EP 1182458 / | 02/2000 | Europe |  | | | |
| | HR | WO 03/22028 / | 03/2003 | WIPO |  | | | |
| | IR | WO 03/001889 / | 01/2003 | WIPO |  | | | |
| | JR | | | | | | | |
| | KR | | | | | | | |
| | LR | | | | | | | |
| | MR | | | | | | | |
| | NR | | | | | | | |
| | OR | | | | | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent pages, etc.)

| | |
|-----|---|
| PR | Yoshihara et al. "Synaptotagmin I functions as a calcium sensor to synchronize neurotransmitter release" Neuron 36:897-908 (2002) |
| QR | Zhen et al. "The Pin2/TRF1-interacting protein PinX1 is a potent telomerase inhibitor" Cell 107:347-359 (2001) |
| RR | Zhou et al. "A role for SKIP in EBNA2 activation of CBF1-repressed promoters J. Virol. 74:1939-1947 (2000) |
| SR | |
| TR | |
| UR | |
| VR | |
| WR | |
| XR | |
| YR | |
| ZR | |
| AAR | |
| BBR | |
| CCR | |
| DDR | |
| EER | |
| FFR | |
| GGR | |
| HHR | |
| IIR | |

*Examiner

11/5/04